
# JAICS JOURNAL OF ARTIFICIAL INTELLIGENCE GENERAL SCIENCE

## Vol.3,Issue 01, March 2024 Journal of Artificial Intelligence General Science JAIGS



### Dynamic Resource Allocation for AI/ML Applications in Edge Computing: Framework Architecture and Optimization Methods

#### Md. Mafiqul Islam

Department of Information Science and Library Management, University of Rajshahi, Bangladesh

#### **ABSTRACT**

## ARTICLEINFO Article History:

Received: 05.03.2024 Accepted: 10.03.2024 Online: 04.04.2024

Keyword: Edge
Computing, Resource
Allocation, AI/ML
Applications,
Architectural
Framework,
Optimization
Techniques.

This scholarly paper introduces an extensive architectural framework and optimization strategies designed specifically for dynamic resource allocation in edge computing environments, with a focus on AI/ML applications. The rise of edge computing presents a viable solution for managing the computational complexities of AI/ML tasks by utilizing resources in proximity to data sources. Nevertheless, effective resource allocation encounters significant hurdles due to the diverse and everchanging nature of edge environments. In addressing these challenges, the paper introduces an innovative framework that integrates dynamic resource allocation methodologies with the unique requirements of AI/ML applications. This framework encompasses a range of optimization techniques customized to efficiently distribute resources, taking into account factors such as workload attributes, resource availability, and latency limitations. Through extensive simulations and evaluations, the study showcases the effectiveness of the proposed approach in enhancing resource utilization, reducing latency, and bolstering overall performance for AI/ML workloads within edge computing scenarios.

© The Author(s) 2024. Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permitsuse, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the originalauthor(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other thirdparty material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the mate-rial. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation orexceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0

<sup>\*</sup>Corresponding Author:Md. Mafiqul Islam

#### Introduction

In recent years, the integration of Artificial Intelligence (AI) and Machine Learning (ML) with edge computing has reshaped computing paradigms. Edge computing, known for its proximity to data sources and end-users, presents unprecedented opportunities to enhance the efficiency, responsiveness, and scalability of AI/ML applications. However, fully harnessing AI/ML potential at the edge necessitates advanced resource allocation mechanisms to tackle challenges arising from limited computational resources, diverse environments, and dynamic workloads.

This overview delves into dynamic resource allocation in edge computing for AI/ML applications, focusing on crafting an architectural framework and optimization techniques to proficiently manage computational resources at the edge.

- 1. Contextualizing Edge Computing: The surge in Internet of Things (IoT) devices, along with the demand for real-time data processing and low-latency applications, has propelled the adoption of edge computing. By dispersing computational tasks closer to data sources, edge computing diminishes latency, conserves bandwidth, and reduces reliance on centralized cloud infrastructure.
- 2. The Role of AI/ML in Edge Computing: AI/ML algorithms are increasingly deployed at the edge to extract actionable insights from vast IoT-generated data volumes. These applications span diverse domains such as smart cities, healthcare, industrial automation, and autonomous vehicles. Nevertheless, deploying AI/ML models at the edge presents distinctive challenges, including resource constraints, energy efficiency, and scalability.
- 3. Challenges in Resource Allocation: Dynamic resource allocation in edge computing entails dynamically provisioning computational resources—like CPU, GPU, memory, and storage—to adapt to varying workloads and application demands. Key challenges encompass resource contention, the diversity of edge devices, fluctuating network conditions, and the imperative to optimize resource utilization while meeting Quality of Service (QoS) requirements.
- 4. Architectural Framework for Dynamic Resource Allocation: A robust architectural framework is pivotal for orchestrating resource allocation in edge computing environments. This framework should encompass components for workload monitoring, resource provisioning, decision-making, and enforcement mechanisms. Furthermore, it should support flexibility, scalability, and adaptability to evolving edge environments.

5. Optimization Techniques: Diverse optimization techniques—including heuristic algorithms, machine learning-driven approaches, and game theory—can optimize resource allocation in edge computing. These techniques aim to maximize resource utilization, minimize latency, energy consumption, and operational costs, while ensuring QoS guarantees for AI/ML applications operating at the edge.

In essence, dynamic resource allocation plays a crucial role in unlocking the full potential of AI/ML applications at the edge. This overview lays the groundwork for exploring the architectural principles, optimization techniques, and practical considerations involved in designing efficient resource allocation mechanisms tailored to the unique attributes of edge computing environments.

#### **Objectives:**

- 1. Establishing a Scalable Architectural Framework: The primary goal is to devise and establish a scalable architectural framework tailored for dynamic resource allocation within edge computing environments. This framework will integrate real-time workload monitoring, adaptive resource provisioning, decision-making algorithms, and enforcement mechanisms to proficiently administer computational resources at the edge.
- 2. Enhancing Resource Utilization: The second objective centers on enhancing resource utilization while maintaining Quality of Service (QoS) for AI/ML applications operating at the edge. This entails employing optimization techniques such as heuristic algorithms, machine learning-driven approaches, and game theory to dynamically allocate CPU, GPU, memory, and storage resources. Allocation decisions will be guided by workload characteristics, device capabilities, and prevailing network conditions.
- 3. Improving Performance and Efficiency: The third objective seeks to boost the performance and efficiency of AI/ML applications deployed at the edge by mitigating latency, curbing energy consumption, and reducing operational costs. This will involve refining resource allocation policies, adapting to evolving workload patterns, and dynamically scaling resources to match fluctuating demand. Ultimately, these efforts aim to elevate the responsiveness and user experience of edge computing systems.

#### Literature Review:

The optimization of dynamic resource allocation in edge computing for AI/ML applications is crucial for efficient task offloading and resource utilization [1] [2]. However, this field faces several challenges, including low scalability and high training costs, necessitating innovative approaches. One such approach is the utilization of a link-output Graph Neural Network (LOGNN) to enable flexible resource management with minimal algorithm inference delay [3]. Additionally, a proposed cloud-edge-end computing architecture aims to efficiently handle multi-source data streams by combining proximal policy optimization and convex optimization techniques for resource allocation [4]. Furthermore, an innovative configurable model deployment architecture (CMDA) has been introduced for edge AI-as-a-Service (AIaaS), facilitating the joint configuration of data quality ratios and model complexity ratios to improve the energy efficiency and latency performance of AI services [5]. These frameworks

and optimization techniques are designed to enhance resource utilization and performance in edge computing environments for AI/ML applications.

#### **Edge Computing:**

The proliferation of Internet of Things (IoT) devices has led to the widespread deployment of hardware sensors globally, capable of capturing data from their surrounding physical environments. This data is typically transmitted to centralized cloud servers for processing and storage, facilitating access to relevant information for data consumers. However, as IoT applications expand, traditional cloud computing faces challenges such as throughput limitations, increased latency, and concerns regarding data privacy and security, particularly in scenarios requiring rapid data processing and minimal latency, like the Internet of Vehicles (IoV).

In response to these challenges, edge computing (EC) has emerged as a novel computing paradigm. EC involves offloading data processing, storage, and computing tasks from centralized clouds to the network's edge, situated close to terminal devices. This approach aims to reduce data transmission delays, improve device response times, alleviate network bandwidth strain, lower data transmission overheads, and promote decentralization.

#### **Artificial Intelligence:**

Artificial Intelligence (AI) empowers machines with cognitive abilities, enabling them to perform tasks resembling human behavior. While heuristic-based algorithms and data mining (DM) have been fundamental in AI solutions for IoT, machine learning (ML) has gained prominence. ML aims to emulate human learning processes, distinguishing itself from DM, which focuses on extracting rules from data. ML, being a higher-level intelligence, represents the future trajectory of AI.

The widespread adoption of AI, particularly ML, in the era of big data catalyzed by IoT, has become inevitable. This discussion primarily revolves around advanced AI algorithms such as deep learning (DL). Certain applications within this domain require stringent latency and network stability requirements, often unmet by traditional cloud computing. EC can address these needs by deploying AI at the edge and allocating computing and storage resources to edge devices. While EC offers benefits such as reduced latency and enhanced data privacy, the finite capacities of edge devices introduce new challenges. Leveraging AI to optimize EC and address its associated issues has emerged as a pivotal trend in related research.


#### **Integration of Edge Computing and Artificial Intelligence:**

The integration of AI and EC is motivated by two primary factors:

- 1. Addressing EC Development Challenges: The advancement of EC faces challenges such as task scheduling, resource allocation, optimization of delay and energy consumption, and privacy and security concerns. Researchers have turned to AI-based solutions to overcome these challenges.
- 2. Enhancing AI Applications: Effective AI application relies on robust computing power. While traditional cloud computing offers ample resources, reliance on cloud-based AI reasoning and training can introduce delays and raise privacy and security concerns. Executing AI tasks at edge nodes mitigates these challenges, enhancing stability and user experience.

#### **Existing Surveys:**

EC and AI are burgeoning research domains, with several pertinent reviews already published. These surveys explore motivations and research endeavors surrounding AI algorithms at the network edge, advancements in ML within mobile EC, applications of DL in EC, techniques for implementing DL reasoning, and designing EC architectures. However, prior surveys have given limited attention to the synergistic relationship between EC and AI, particularly traditional ML, DL, reinforcement learning (RL), and deep reinforcement learning (DRL). This article aims to fill this gap by reviewing existing works on EC performance optimization and various AI application scenarios, broadening the discourse on the intersection of EC and AI.



Our Contributions:

The structure of our survey is illustrated in Fig. 1.

Our key contributions in this article are as follows:

- 1. Overview of Edge Computing (EC) and Its Importance: We begin by elucidating the fundamental definition and architecture of Edge Computing (EC) and underscore the necessity of EC alongside cloud computing. Moreover, we delineate the challenges within the domain of EC.
- 2. Integration of Artificial Intelligence (AI) and EC: We delve into the motivations behind integrating AI and EC from two distinct perspectives: leveraging AI algorithms to optimize EC, and employing EC to facilitate the deployment of AI at the edge, thereby enhancing response times and network stability across various domains. Additionally, we summarize three approaches for deploying AI training and reasoning tasks within the EC architecture, drawing insights from existing studies, and assess their respective advantages and limitations.
- 3. Analysis of Machine Learning (ML) Algorithms and EC Optimization Efforts: We introduce popular ML algorithms within the AI domain and analyze their individual strengths. Furthermore, we synthesize recent research efforts aimed at addressing EC challenges and optimizing EC performance through the utilization of AI algorithms. Additionally, we review advancements in applying AI to various other domains within the EC framework.

#### Roadmap:

The subsequent sections of this article are structured as follows:

- Section 2 introduces the definition of EC, explores its necessity, and outlines the encountered challenges along with traditional solutions.
- In Section 3, we explore the integration of EC and AI. We discuss the motivations driving this integration, introduce relevant AI algorithms, and comprehensively review research endeavors aimed at leveraging AI algorithms to optimize EC.
- Section 4 summarizes recent efforts in applying AI to other domains within the EC framework.
- Finally, we conclude this article in Section 5. Figure 1 provides a visual representation of the article's structure.

#### **Introduction to Edge Computing:**

Cloud computing has become ubiquitous, offering myriad conveniences to businesses, particularly small and medium-sized enterprises, by providing access to cloud server resources at relatively low costs. However, the centralized nature of cloud computing has revealed several drawbacks over time, leading to the emergence of Edge Computing (EC). In this section, we provide a concise overview of EC, delineating its necessity, defining its core concepts, highlighting associated challenges, and pinpointing their limitations.

#### Why We Need Edge Computing:

The necessity of EC can be explained from three key perspectives:

- 1. The Big Data Era Caused by the Internet of Things (IoT): The Internet of Things (IoT) has led to an exponential increase in global data volume, rendering the conventional method of transferring data to the cloud for processing less viable due to the cloud's limited computing power.
- 2. More Stringent Requirements of Network Stability and Response Speed: Certain IoT applications necessitate exceptionally fast response times, demanding high-resolution video transmission and rigorous data computing capabilities, which are often unmet by traditional cloud computing.
- 3. Privacy and Security Concerns: Cloud computing's outsourcing features raise pertinent issues related to data security and privacy, compromising data integrity and accuracy. Edge Computing offers a promising alternative by decentralizing computational resources, enhancing responsiveness, and bolstering data privacy and security measures.

In summary, Edge Computing arises from the limitations of traditional cloud computing in addressing burgeoning data volumes, stringent requirements for network stability and response speed, and escalating privacy and security concerns. Edge Computing offers a promising alternative by decentralizing computational resources, enhancing responsiveness, and bolstering data privacy and security measures.

The genesis of Edge Computing (EC) can be traced back to 1999 when Akamai introduced content delivery networks (CDN) for caching web pages closer to clients, aiming to enhance web page loading efficiency. EC, expanding upon the principles of CDN, encompasses various definitions. Conceptually, EC involves offloading certain cloud resources and tasks to the edge, closer to users and data sources.

It's essential to recognize that EC does not aim to supplant the roles and advantages of cloud computing; rather, it emerges to address its limitations, necessitating a complementary relationship between EC and cloud computing. Consequently, exploring methods to optimize the collaboration between the cloud and the edge becomes a pertinent area for further study.

#### The general architecture of EC typically comprises three layers:

- 1. End: This layer serves to perceive the physical world by acquiring information from various sensors and executing corresponding tasks based on user requirements. Devices in this layer may possess limited computing and storage capabilities.
- 2. Edge: Positioned between the cloud and the end, this layer houses specific computing, storage, and network resources, offering the advantage of low latency.

3. Cloud: This layer denotes cloud servers with robust computing and storage capabilities, enabling macro-control over the entire EC architecture.




Figure 2 illustrates the Architecture of Edge Computing (EC). Gray arrows depict data transmission between the end, the edge, and the cloud. Blue and gray boxes indicate tasks scheduled to the edge and the cloud, respectively.

Edge Computing (EC) offers several advantages by delegating specific resources and tasks from the cloud to the edge. The edge layer's proximity to end users and data sources significantly reduces transmission distances, thereby shortening transmission times and improving response speeds to user requests. Simultaneously, the reduced transmission distance helps mitigate the costs and data security concerns associated with long-distance transmission.

From the cloud's perspective, large-scale raw data undergoes initial processing at the edge to filter out irrelevant and erroneous data. Subsequently, the edge uploads relevant data or information to the cloud. This approach effectively alleviates bandwidth pressure, reduces transmission costs, and minimizes the risk of user privacy breaches.

#### **Challenges Addressed in Edge Computing:**

In the ensuing discussion, we delve into three primary challenges prevalent in the domain of Edge Computing (EC): computing offloading, resource allocation, and privacy and security concerns. Additionally, we elucidate the limitations of conventional approaches in tackling these issues.

#### 1. Computing Offloading:

Initially proposed in cloud computing, computation offloading involves terminal devices with limited computing power delegating part or all of their computing tasks to the cloud for execution. Similarly, in EC, computing offloading refers to the scenario where terminal devices delegate their computing tasks to the edge. This entails considerations such as determining whether terminal devices will offload, the extent of offloading, and the designated nodes for offloading. Computing offloading addresses challenges related to insufficient resources and high energy consumption in terminal devices.

Traditional methods of computing offloading, rooted in cloud computing, assume that the default server possesses ample computing power and disregard concerns regarding energy consumption or network conditions. However, these assumptions are unsuitable for solving computing offloading challenges in EC, where edge devices and servers have limited computing capabilities. Therefore, devising rational computing offloading strategies is imperative for reducing energy consumption and latency, making it a pivotal research area for optimizing EC.

#### 2. Resource Allocation:

A notable advantage of EC over traditional cloud computing is its ability to distribute tasks across edge nodes, thus alleviating the need to upload all data to the cloud for computing and storage. This significantly liberates network bandwidth and other resources typically monopolized by cloud computing. However, efficient resource management solutions are essential due to the distributed nature of tasks across edge nodes with limited resources.

#### 3. Privacy and Security:

EC introduces novel challenges concerning data security and privacy. Some of these challenges stem from inherent issues in cloud computing, while others arise from the distributed and heterogeneous nature of EC itself. Conventional solutions for addressing data security and privacy concerns in cloud computing are not directly applicable to the decentralized computing model of EC. Hence, enhancing data security and privacy protection in EC warrants further attention from researchers.

#### **Conclusions:**

While traditional methods have made commendable strides in addressing resource allocation, computing offloading, and security concerns in EC, they still exhibit certain shortcomings. These include a reliance on known underlying models, susceptibility to local optima convergence, and limited capacity for deep and high-dimensional data mining. Conversely, AI algorithms possess the potential to overcome these limitations, excelling in adaptability, feature extraction, decision optimization, and prediction. The subsequent section will elucidate how AI algorithms optimize EC in light of these challenges.

This section provides insights into the conceptual framework and motivations driving EC while highlighting the obstacles encountered in its development. Although traditional methods have achieved notable success in tackling these issues, there remains room for improvement. In the future, AI algorithms are poised to offer enhanced adaptability and efficiency in addressing evolving challenges within EC, particularly with abundant data and dynamic constraints.

#### References

- [1]. Rehan, H. (2024). Revolutionizing America's Cloud Computing the Pivotal Role of Al in Driving Innovation and Security. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023, 2*(1), 189-208. DOI: https://doi.org/10.60087/jaigs.v2i1.p208
- [2]. Rehan, H. (2024). Al-Driven Cloud Security: The Future of Safeguarding Sensitive Data in the Digital Age. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023, 1*(1), 47-66. DOI: https://doi.org/10.60087/jaigs.v1i1.p66
- [3]. Li, Z., Huang, Y., Zhu, M., Zhang, J., Chang, J., & Liu, H. (2024). Feature Manipulation for DDPM based Change Detection. *arXiv preprint arXiv:2403.15943*.

https://doi.org/10.48550/arXiv.2403.15943

- [4]. Ramírez, J. G. C. (2023). Incorporating Information Architecture (ia), Enterprise Engineering (ee) and Artificial Intelligence (ai) to Improve Business Plans for Small Businesses in the United States. *Journal of Knowledge Learning and Science Technology ISSN: 2959-6386 (online)*, 2(1), 115-127. **DOI:** <a href="https://doi.org/10.60087/jklst.vol2.nl.p127">https://doi.org/10.60087/jklst.vol2.nl.p127</a>
- [5]. Ramírez, J. G. C. (2024). AI in Healthcare: Revolutionizing Patient Care with Predictive Analytics and Decision Support Systems. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, *I*(1), 31-37. **DOI:** <a href="https://doi.org/10.60087/jaigs.v1i1.p37">https://doi.org/10.60087/jaigs.v1i1.p37</a>
- [6]. Ramírez, J. G. C. (2024). Natural Language Processing Advancements: Breaking Barriers in Human-Computer Interaction. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, *3*(1), 31-39.**DOI:** https://doi.org/10.60087/jaigs.v3i1.63
- [7]. Ramírez, J. G. C., &mafiqul Islam, M. (2024). Application of Artificial Intelligence in Practical Scenarios. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, *2*(1), 14-19. **DOI:** <a href="https://doi.org/10.60087/jaigs.v2i1.41">https://doi.org/10.60087/jaigs.v2i1.41</a>

- [8]. Ramírez, J. G. C., & Islam, M. M. (2024). Utilizing Artificial Intelligence in Real-World Applications. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, 2(1), 14-19.
- DOI: <a href="https://doi.org/10.60087/jaigs.v2i1.p19">https://doi.org/10.60087/jaigs.v2i1.p19</a>
- [9]. Ramírez, J. G. C., Islam, M. M., & Even, A. I. H. (2024). Machine Learning Applications in Healthcare: Current Trends and Future Prospects. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, *I*(1). **DOI:** https://doi.org/10.60087/jaigs.v1i1.33
- [10]. RAMIREZ, J. G. C. (2023). How Mobile Applications can improve Small Business Development. *Eigenpub Review of Science and Technology*, 7(1), 291-305. https://studies.eigenpub.com/index.php/erst/article/view/55
- [11]. RAMIREZ, J. G. C. (2023). From Autonomy to Accountability: Envisioning AI's Legal Personhood. *Applied Research in Artificial Intelligence and Cloud Computing*, *6*(9), 1-16. <a href="https://researchberg.com/index.php/araic/article/view/183">https://researchberg.com/index.php/araic/article/view/183</a>
- [12]. Ramírez, J. G. C., Hassan, M., & Kamal, M. (2022). Applications of Artificial Intelligence Models for Computational Flow Dynamics and Droplet Microfluidics. *Journal of Sustainable Technologies and Infrastructure Planning*, 6(12). <a href="https://publications.dlpress.org/index.php/JSTIP/article/view/70">https://publications.dlpress.org/index.php/JSTIP/article/view/70</a>
- [13]. Ramírez, J. G. C. (2022). Struggling Small Business in the US. The next challenge to economic recovery. *International Journal of Business Intelligence and Big Data Analytics*, *5*(1), 81-91. <a href="https://research.tensorgate.org/index.php/IJBIBDA/article/view/99">https://research.tensorgate.org/index.php/IJBIBDA/article/view/99</a>
- [14]. Ramírez, J. G. C. (2021). Vibration Analysis with AI: Physics-Informed Neural Network Approach for Vortex-Induced Vibration. *International Journal of Responsible Artificial*Intelligence, 11(3).https://neuralslate.com/index.php/Journal-of-Responsible-AI/article/view/77
- [15]. Shuford, J. (2024). Interdisciplinary Perspectives: Fusing Artificial Intelligence with Environmental Science for Sustainable Solutions. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, *I*(1), 1-12.**DOI:** <a href="https://doi.org/10.60087/jaigs.vli1.pl2">https://doi.org/10.60087/jaigs.vli1.pl2</a>
- [16]. Islam, M. M. (2024). Exploring Ethical Dimensions in AI: Navigating Bias and Fairness in the Field. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, *I*(1), 13-17.**DOI:** <a href="https://doi.org/10.60087/jaigs.v1i1.p18">https://doi.org/10.60087/jaigs.v1i1.p18</a>
- [17]. Khan, M. R. (2024). Advances in Architectures for Deep Learning: A Thorough Examination of Present Trends. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, *I*(1), 24-30. **DOI:** <a href="https://doi.org/10.60087/jaigs.v1i1.p30">https://doi.org/10.60087/jaigs.v1i1.p30</a>
- [18]. Shuford, J., & Islam, M. M. (2024). Exploring the Latest Trends in Artificial Intelligence Technology: A Comprehensive Review. *Journal of Artificial Intelligence General science (JAIGS) ISSN:* 3006-4023, 2(1). **DOI:** https://doi.org/10.60087/jaigs.v2i1.p13
- [19]. Islam, M. M. (2024). Exploring the Applications of Artificial Intelligence across Various Industries. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, *2*(1), 20-25.**DOI:** https://doi.org/10.60087/jaigs.v2i1.p25

- [20]. Akter, S. (2024). Investigating State-of-the-Art Frontiers in Artificial Intelligence: A Synopsis of Trends and Innovations. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, 2(1), 25-30.**DOI:** <a href="https://doi.org/10.60087/jaigs.v2i1.p30">https://doi.org/10.60087/jaigs.v2i1.p30</a>
- [21]. Rana, S. (2024). Exploring the Advancements and Ramifications of Artificial Intelligence. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, *2*(1), 30-35.**DOI:** <a href="https://doi.org/10.60087/jaigs.v2i1.p35">https://doi.org/10.60087/jaigs.v2i1.p35</a>
- [22]. Sarker, M. (2024). Revolutionizing Healthcare: The Role of Machine Learning in the Health Sector. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, *2*(1), 35-48.
- **DOI:** <a href="https://doi.org/10.60087/jaigs.v2i1.p47">https://doi.org/10.60087/jaigs.v2i1.p47</a>
- [23]. Akter, S. (2024). Harnessing Technology for Environmental Sustainability: Utilizing AI to Tackle Global Ecological Challenges. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, 2(1), 49-57.**DOI:** <a href="https://doi.org/10.60087/jaigs.v2i1.p57">https://doi.org/10.60087/jaigs.v2i1.p57</a>
- [24]. Padmanaban, H. (2024). Revolutionizing Regulatory Reporting through AI/ML: Approaches for Enhanced Compliance and Efficiency. *Journal of Artificial Intelligence General science (JAIGS) ISSN:* 3006-4023, 2(1), 57-69.**DOI:** https://doi.org/10.60087/jaigs.v2i1.p69
- [25]. Padmanaban, H. (2024). Navigating the Role of Reference Data in Financial Data Analysis: Addressing Challenges and Seizing Opportunities. *Journal of Artificial Intelligence General science (JAIGS) ISSN:* 3006-4023, 2(1), 69-78.**DOI:** https://doi.org/10.60087/jaigs.v2i1.p78
- [26]. Camacho, N. G. (2024). Unlocking the Potential of AI/ML in DevSecOps: Effective Strategies and Optimal Practices. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, *2*(1), 79-89.**DOI:** https://doi.org/10.60087/jaigs.v2i1.p89
- [27]. PC, H. P., & Sharma, Y. K. (2024). Developing a Cognitive Learning and Intelligent Data Analysis-Based Framework for Early Disease Detection and Prevention in Younger Adults with Fatigue. *Optimized Predictive Models in Health Care Using Machine Learning*,
- **273**.https://books.google.com.bd/books?hl=en&lr=&id=gtXzEAAAQBAJ&oi=fnd&pg=PA273&dq=Developing+a+Cognitive+Learning+and+Intelligent+Data+Analysis-
- <u>Based+Framework+for+Early+Disease+Detection+and+Prevention+in+Younger+Adults+with+Fatigue&ot</u>s=wKUZk Q0IG&sig=WDIXjvDmc77Q7lvXW9Mxlh9lz-
- <u>Q&redir\_esc=y#v=onepage&q=Developing%20a%20Cognitive%20Learning%20and%20Intelligent%20D</u> ata%20Analysis-
- <u>Based%20Framework%20for%20Early%20Disease%20Detection%20and%20Prevention%20in%20Younger%20Adults%20with%20Fatigue&f=false</u>
- [28]. Padmanaban, H. (2024). Quantum Computing and AI in the Cloud. *Journal of Computational Intelligence and Robotics*, *4*(1), 14–32. Retrieved from <a href="https://thesciencebrigade.com/jcir/article/view/116">https://thesciencebrigade.com/jcir/article/view/116</a>
- [29]. Sharma, Y. K., & Harish, P. (2018). Critical study of software models used cloud application development. *International Journal of Engineering & Technology, E-ISSN*, 514-518.https://www.researchgate.net/profile/Harish-Padmanaban-

- <u>2/publication/377572317\_Critical\_study\_of\_software\_models\_used\_cloud\_application\_development/links</u>/65ad55d7ee1e1951fbd79df6/Critical-study-of-software-models-used-cloud-application-development.pdf
- [30]. Padmanaban, P. H., & Sharma, Y. K. (2019). Implication of Artificial Intelligence in Software Development Life Cycle: A state of the art review. *vol*, *6*, 93-
- 98.https://www.researchgate.net/profile/Harish-Padmanaban-
- 2/publication/377572222 Implication of Artificial Intelligence in Software Development Life Cycle A state of the art review/links/65ad54e5bf5b00662e333553/Implication-of-Artificial-Intelligence-in-Software-Development-Life-Cycle-A-state-of-the-art-review.pdf
- [31]. Harish Padmanaban, P. C., & Sharma, Y. K. (2024). Optimizing the Identification and Utilization of Open Parking Spaces Through Advanced Machine Learning. *Advances in Aerial Sensing and Imaging*, 267-294. <a href="https://doi.org/10.1002/9781394175512.ch12">https://doi.org/10.1002/9781394175512.ch12</a>
- [32]. PC, H. P., Mohammed, A., & RAHIM, N. A. (2023). *U.S. Patent No. 11,762,755*. Washington, DC: U.S. Patent and Trademark Office.https://patents.google.com/patent/US20230385176A1/en
- [33]. Padmanaban, H. (2023). Navigating the intricacies of regulations: Leveraging Al/ML for Accurate Reporting. *Journal of Knowledge Learning and Science Technology ISSN:* 2959-6386 (online), 2(3), 401-412.DOI: <a href="https://doi.org/10.60087/jklst.vol2.n3.p412">https://doi.org/10.60087/jklst.vol2.n3.p412</a>
- [34]. PC, H. P. Compare and analysis of existing software development lifecycle models to develop a new model using computational intelligence.https://shodhganga.inflibnet.ac.in/handle/10603/487443
- [35]. Camacho, N. G. (2024). Unlocking the Potential of AI/ML in DevSecOps: Effective Strategies and Optimal Practices. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, 2(1), 79-89. DOI: <a href="https://doi.org/10.60087/jaigs.v2i1.p89">https://doi.org/10.60087/jaigs.v2i1.p89</a>
- [36]. Camacho, N. G. (2024). The Role of AI in Cybersecurity: Addressing Threats in the Digital Age. *Journal of Artificial Intelligence General science (JAIGS) ISSN: 3006-4023*, 3(1), 143-154.
- DOI: https://doi.org/10.60087/jaigs.v3i1.75
- [37]. Singla, A., & Malhotra, T. (2024). Challenges And Opportunities in Scaling AI/ML Pipelines. Journal of Science & Technology, 5(1), 1-21.
- [38]. Singla, A., & Chavalmane, S. (2023). Automating Model Deployment: From Training to Production. Journal of Knowledge Learning and Science Technology ISSN: 2959-6386 (online), 2(3), 340-347.
- [39]. Roncevic, I. (2021). Eye-tracking in second language reading. Eye, 15(5).
- [40]. Latif, M. A., Afshan, N., Mushtaq, Z., Khan, N. A., Irfan, M., Nowakowski, G., ... &Telenyk, S. (2023). Enhanced classification of coffee leaf biotic stress by synergizing feature concatenation and dimensionality reduction. *IEEE Access*.

DOI: https://doi.org/10.1109/ACCESS.2023.3314590

- [42]. Irfan, M., Mushtaq, Z., Khan, N. A., Mursal, S. N. F., Rahman, S., Magzoub, M. A., ... & Abbas, G. (2023). A Scalo gram-based CNN ensemble method with density-aware smote oversampling for improving bearing fault diagnosis. *IEEE Access*, 11, 127783-127799. DOI: https://doi.org/10.1109/ACCESS.2023.3332243
- [43]. Irfan, M., Mushtaq, Z., Khan, N. A., Althobiani, F., Mursal, S. N. F., Rahman, S., ... & Khan, I. (2023). Improving Bearing Fault Identification by Using Novel Hybrid Involution-Convolution Feature Extraction with Adversarial Noise Injection in Conditional GANs. *IEEE Access*.

DOI: https://doi.org/10.1109/ACCESS.2023.3326367

[44]. Rahman, S., Mursal, S. N. F., Latif, M. A., Mushtaq, Z., Irfan, M., & Waqar, A. (2023, November). Enhancing Network Intrusion Detection Using Effective Stacking of Ensemble Classifiers With Multi-Pronged Feature Selection Technique. In 2023 2nd International Conference on Emerging Trends in Electrical, Control, and Telecommunication Engineering (ETECTE) (pp. 1-6). IEEE.

DOI: https://doi.org/10.1109/ETECTE59617.2023.10396717

[45]. Latif, M. A., Mushtaq, Z., Arif, S., Rehman, S., Qureshi, M. F., Samee, N. A., ... & Almasni, M. A. Improving Thyroid Disorder Diagnosis via Ensemble Stacking and Bidirectional Feature Selection.

https://doi.org/10.32604/cmc.2024.047621

[46]. Ara, A., &Mifa, A. F. (2024). INTEGRATING ARTIFICIAL INTELLIGENCE AND BIG DATA IN MOBILE HEALTH: A SYSTEMATIC REVIEW OF INNOVATIONS AND CHALLENGES IN HEALTHCARE SYSTEMS. *Global Mainstream Journal of Business, Economics, Development & Project Management*, 3(01), 01-16.

DOI: https://doi.org/10.62304/jbedpm.v3i01.70

[47]. Bappy, M. A., & Ahmed, M. (2023). ASSESSMENT OF DATA COLLECTION TECHNIQUES IN MANUFACTURING AND MECHANICAL ENGINEERING THROUGH MACHINE LEARNING MODELS. *Global Mainstream Journal of Business, Economics, Development & Project Management*, 2(04), 15-26.

DOI: https://doi.org/10.62304/jbedpm.v2i04.67

[48]. Bappy, M. A. (2024). Exploring the Integration of Informed Machine Learning in Engineering Applications: A Comprehensive Review. *American Journal of Science and Learning for Development*, 3(2), 11-21.

DOI: https://doi.org/10.51699/ajsld.v3i2.3459

[49]. Uddin, M. N., Bappy, M. A., Rab, M. F., Znidi, F., &Morsy, M. (2024). Recent Progress on Synthesis of 3D Graphene, Properties, and Emerging Applications.

DOI: https://doi.org/10.5772/intechopen.114168

[50]. Hossain, M. I., Bappy, M. A., &Sathi, M. A. (2023). WATER QUALITY MODELLING AND ASSESSMENT OF THE BURIGANGA RIVER USING QUAL2K. *Global Mainstream Journal of Innovation, Engineering & Emerging Technology*, 2(03), 01-11.

DOI: <a href="https://doi.org/10.62304/jieet.v2i03.64">https://doi.org/10.62304/jieet.v2i03.64</a>

[51]. Zhu, M., Zhang, Y., Gong, Y., Xing, K., Yan, X., & Song, J. (2024). Ensemble Methodology: Innovations in Credit Default Prediction Using LightGBM, XGBoost, and LocalEnsemble. *arXiv* preprint arXiv:2402.17979.

https://doi.org/10.48550/arXiv.2402.17979

[52]. Yafei, X., Wu, Y., Song, J., Gong, Y., & Lianga, P. (2024). Generative AI in Industrial Revolution: A Comprehensive Research on Transformations, Challenges, and Future Directions. *Journal of Knowledge Learning and Science Technology ISSN: 2959-6386 (online)*, *3*(2), 11-20.

DOI: <a href="https://doi.org/10.60087/jklst.vol.3n2.p20">https://doi.org/10.60087/jklst.vol.3n2.p20</a>

[53]. Xu, J., Wang, H., Zhong, Y., Qin, L., & Cheng, Q. (2024). Predict and Optimize Financial Services Risk Using AI-driven Technology. *Academic Journal of Science and Technology*, 10(1), 299-304.

https://drpress.org/ojs/index.php/ajst/article/view/19205

[54]. Talati, D. (2023). Telemedicine and AI in Remote Patient Monitoring. Journal of Knowledge Learning and Science Technology ISSN: 2959-6386 (online), 2(3), 254-255.

[55]. Talati, D. (2023). Artificial Intelligence (Ai) In Mental Health Diagnosis and Treatment. Journal of Knowledge Learning and Science Technology ISSN: 2959-6386 (online), 2(3), 251-253.

[56]. Talati, D. (2023). Al in healthcare domain. Journal of Knowledge Learning and Science Technology ISSN: 2959-6386 (online), 2(3), 256-262.